

H350-3



MATERIAL GROUPS



CHARACTERISTICS







THREADING SOLUTIONS

[watch online](#)

TECHNICAL DRAWING



PROFILE SKETCH



TOOL DATA

ID	D ₁	Ø D ₁	TOL	P	L ₁	L ₂	L ₃	D ₂	A		
101255	M8	8.00	6H	1.250	90.0	12.5	35	8.00	6.2	3	6.80

PRODUCT RANGE H350-3 M8 6H

ID	D ₁	Ø D ₁	TOL	P	L ₁	L ₂	L ₃	D ₂	A		
101238	M2	2.00	6H	0.400	45.0	7.0	0	2.80	2.1	2	1.60
101239	M2.5	2.50	6H	0.450	50.0	9.0	0	2.80	2.1	3	2.05
101241	M3	3.00	6G	0.500	56.0	5.5	18	3.50	2.7	3	2.50
101242	M3	3.00	6H	0.500	56.0	5.5	18	3.50	2.7	3	2.50
101243	M3.5	3.50	6H	0.600	56.0	6.5	20	4.00	3.0	3	2.90
101245	M4	4.00	6H	0.700	63.0	7.5	21	4.50	3.4	3	3.30
101244	M4	4.00	6G	0.700	63.0	7.5	21	4.50	3.4	3	3.35
101246	M4.5	4.50	6H	0.750	70.0	9.0	25	6.00	4.9	3	3.75
101248	M5	5.00	6H	0.800	70.0	9.0	25	6.00	4.9	3	4.20
101247	M5	5.00	6G	0.800	70.0	9.0	25	6.00	4.9	3	4.25
101250	M6	6.00	6G	1.000	80.0	11.0	30	6.00	4.9	3	5.00
101251	M6	6.00	6H	1.000	80.0	11.0	30	6.00	4.9	3	5.00
101254	M8	8.00	6G	1.250	90.0	12.5	35	8.00	6.2	3	6.80
101255	M8	8.00	6H	1.250	90.0	12.5	35	8.00	6.2	3	6.80



THREADING SOLUTIONS

[watch online](#)

ID	D ₁	Ø D ₁	TOL	P	L ₁	L ₂	L ₃	D ₂	A		
101236	M10	10.00	6G	1.500	100.0	14.0	39	10.00	8.0	3	8.50
101237	M10	10.00	6H	1.500	100.0	14.0	39	10.00	8.0	3	8.50