


GFM6260VS



MATERIAL GROUPS



CHARACTERISTICS







THREADING SOLUTIONS

[watch online](#)

TECHNICAL DRAWING



PROFILE SKETCH



TOOL DATA

ID	D ₁	Ø D ₁	P	L ₁	L ₂	L ₃	D ₂	
135261	Dmin M10x0.75	8.00	0.750	64.0	15.8	16	8.00	4

PRODUCT RANGE GFM6260VS D8X0.75

ID	D ₁	Ø D ₁	P	L ₁	L ₂	L ₃	D ₂	
135261	Dmin M10x0.75	8.00	0.750	64.0	15.8	16	8.00	4
135260	Dmin M10x0.5	8.00	0.500	64.0	16.0	16	8.00	4
135262	Dmin M14x0.75	10.00	0.750	70.0	15.8	26	10.00	4
135263	Dmin M14x1	10.00	1.000	70.0	16.0	26	10.00	4
135264	Dmin M14x1.25	10.00	1.250	70.0	16.3	26	10.00	4
135265	Dmin M14x1.5	10.00	1.500	70.0	16.5	26	10.00	4
135269	Dmin M18x2	12.00	2.000	80.0	20.0	32	12.00	4
135007	Dmin M18x1	12.00	1.000	80.0	20.0	32	12.00	4
135214	Dmin M18x0.5	12.00	0.500	80.0	20.0	32	12.00	4
155527	Dmin M18x0.75	12.00	0.750	80.0	20.3	32	12.00	4
135181	Dmin M18x1.5	12.00	1.500	80.0	21.0	32	12.00	4
135272	Dmin M24x2.5	16.00	2.500	90.0	25.0	42	16.00	4
135270	Dmin M24x1	16.00	1.000	90.0	25.0	42	16.00	4
116017	Dmin M24x1.5	16.00	1.500	90.0	25.5	42	16.00	4

ID	D ₁	Ø D ₁	P	L ₁	L ₂	L ₃	D ₂	
135271	Dmin M24x2	16.00	2.000	90.0	26.0	42	16.00	4
150564	Dmin M24x3	16.00	3.000	90.0	27.0	42	16.00	4
135279	Dmin M30x3	20.00	3.000	105.0	33.0	52	20.00	5
135274	Dmin M30x1	20.00	1.000	105.0	33.0	52	20.00	5
135275	Dmin M30x1.5	20.00	1.500	105.0	33.0	52	20.00	5
135276	Dmin M30x2	20.00	2.000	105.0	34.0	52	20.00	5
144065	Dmin M30X3.5	20.00	3.500	105.0	35.0	52	20.00	5