


TL320VS-4



MATERIAL GROUPS



CHARACTERISTICS







THREADING SOLUTIONS

[watch online](#)

TECHNICAL DRAWING



PROFILE SKETCH



TOOL DATA

ID	D ₁	Ø D ₁	TOL	P	L ₁	L ₂	L ₃	D ₂	A		
152009	M6	6.00	4HX	1.000	80.0	15.0	23	6.00	4.9	3	5.00

PRODUCT RANGE TL320VS-4 M6 4HX

ID	D ₁	Ø D ₁	TOL	P	L ₁	L ₂	L ₃	D ₂	A		
148001	M3	3.00	6HX	0.500	56.0	12.0	0	3.50	2.7	3	2.50
152006	M3	3.00	4HX	0.500	56.0	12.0	0	3.50	2.7	3	2.50
152007	M4	4.00	4HX	0.700	63.0	14.0	0	4.50	3.4	3	3.30
148003	M4	4.00	6HX	0.700	63.0	14.0	0	4.50	3.4	3	3.30
148007	M5	5.00	6HX	0.800	70.0	15.0	0	6.00	4.9	3	4.20
152008	M5	5.00	4HX	0.800	70.0	15.0	0	6.00	4.9	3	4.20
152009	M6	6.00	4HX	1.000	80.0	15.0	23	6.00	4.9	3	5.00
148011	M6	6.00	6HX	1.000	80.0	15.0	23	6.00	4.9	3	5.00
152010	M8	8.00	4HX	1.250	90.0	18.0	29	8.00	6.2	3	6.70
148020	M8	8.00	6HX	1.250	90.0	18.0	29	8.00	6.2	3	6.80
148027	M10	10.00	6HX	1.500	100.0	20.0	33	10.00	8.0	3	8.50
152011	M10	10.00	4HX	1.500	100.0	20.0	33	10.00	8.0	3	8.50



[watch online](#)