

FA80VS



MATERIAL GROUPS






THREADING SOLUTIONS

[watch online](#)


CHARACTERISTICS



TECHNICAL DRAWING



PROFILE SKETCH



TOOL DATA

ID	D ₁	Ø D ₁	TOL	P	L ₁	L ₂	D ₂		
161750	M0.5	0.50	4HX	0.125	25.0	1.5	2.00	4	0.44

PRODUCT RANGE FA80VS M0.5 4HX

ID	D ₁	Ø D ₁	TOL	P	L ₁	L ₂	D ₂	A		
208016	M0.4	0.40	4HX	0.100	25.0	1.2	2.00	0.0	4	0.35
161750	M0.5	0.50	4HX	0.125	25.0	1.5	2.00	0.0	4	0.44
152412	M0.6	0.60	4HX	0.150	25.0	1.8	2.00	0.0	4	0.53
152415	M0.7	0.70	4HX	0.175	25.0	2.1	2.00	0.0	4	0.62
152418	M0.8	0.80	4HX	0.200	25.0	2.4	2.00	0.0	4	0.71
152421	M0.9	0.90	4HX	0.225	25.0	2.7	2.00	0.0	4	0.80
151559	M1	1.00	4HX	0.250	40.0	3.0	2.50	0.0	4	0.88

ID	D ₁	Ø D ₁	TOL	P	L ₁	L ₂	D ₂	A		
151565	M1.2	1.20	4HX	0.250	40.0	3.6	2.50	0.0	4	1.08
152429	M1.4	1.40	4HX	0.300	40.0	4.2	2.50	0.0	4	1.25
152433	M1.6	1.60	6HX	0.350	40.0	4.8	2.50	0.0	4	1.45
193764	M1.8	1.80	6HX	0.350	40.0	5.4	2.50	0.0	4	1.65
151566	M2	2.00	6HX	0.400	45.0	8.0	2.80	2.1	4	1.80
193765	M2.3	2.30	6HX	0.400	45.0	9.0	2.80	2.1	4	2.10
193766	M2.5	2.50	6HX	0.450	50.0	10.0	2.80	2.1	4	2.30
193767	M2.6	2.60	6HX	0.450	50.0	10.0	2.80	2.1	4	2.40