


# FAS381VS-3



## MATERIAL GROUPS



## CHARACTERISTICS







THREADING SOLUTIONS

[watch online](#)

TECHNICAL DRAWING



PROFILE SKETCH



TOOL DATA

ID	D <sub>1</sub>	∅ D <sub>1</sub>	TOL	P	L <sub>1</sub>	L <sub>2</sub>	L <sub>3</sub>	D <sub>2</sub>	A		
166641	M6	6.00	6HX	1.000	80.0	17.0	30	6.00	4.9	4	5.55

PRODUCT RANGE FAS381VS-3 M6 6HX

ID	D <sub>1</sub>	∅ D <sub>1</sub>	TOL	P	L <sub>1</sub>	L <sub>2</sub>	L <sub>3</sub>	D <sub>2</sub>	A		
166612	M3	3.00	6HX	0.500	56.0	12.0	18	3.50	2.7	3	2.80
166703	M3	3.00	6GX	0.500	56.0	12.0	18	3.50	2.7	3	2.80
166704	M3.5	3.50	6GX	0.600	56.0	13.0	20	4.00	3.0	3	3.25
166618	M3.5	3.50	6HX	0.600	56.0	13.0	20	4.00	3.0	3	3.25
166624	M4	4.00	6HX	0.700	63.0	14.0	21	4.50	3.4	3	3.70
166705	M4	4.00	6GX	0.700	63.0	14.0	21	4.50	3.4	3	3.70
166706	M5	5.00	6GX	0.800	70.0	15.0	25	6.00	4.9	4	4.65
166632	M5	5.00	6HX	0.800	70.0	15.0	25	6.00	4.9	4	4.65
166641	M6	6.00	6HX	1.000	80.0	17.0	30	6.00	4.9	4	5.55
166707	M6	6.00	6GX	1.000	80.0	17.0	30	6.00	4.9	4	5.55
166708	M8	8.00	6GX	1.250	90.0	20.0	35	8.00	6.2	4	7.40
166651	M8	8.00	6HX	1.250	90.0	20.0	35	8.00	6.2	4	7.40
166661	M10	10.00	6HX	1.500	100.0	22.0	39	10.00	8.0	5	9.30
166709	M10	10.00	6GX	1.500	100.0	22.0	39	10.00	8.0	5	9.30



THREADING SOLUTIONS

[watch online](#)