

GW15066VS



MATERIAL GROUPS

11	12	13	14	15	16	17	21	22	23	24	31	32	41
42	51	52	53	61	62	63	71	72	73	74	81	82	83
91	92	93	94										

CHARACTERISTICS


VS	VHM CAR				LH-rot. 			h5	h6	
----	------------	---	---	---	--	---	---	----	----	---



THREADING SOLUTIONS

[watch online](#)

PROFILE SKETCH



TOOL DATA

ID	D ₁	Ø D ₁	P	L ₁	L ₂	L ₃	D ₂		
189165	M0.8	0.55	0.200	40.0	0.4	2.3	3.00	1	0.58

PRODUCT RANGE GWI5066VS M0.8X0.2

ID	D ₁	Ø D ₁	P	L ₁	L ₂	L ₃	D ₂		
189165	M0.8	0.55	0.200	40.0	0.4	2.3	3.00	1	0.58
189166	M0.9	0.62	0.225	40.0	0.5	2.6	3.00	1	0.65
189167	M1	0.66	0.250	40.0	0.5	2.9	3.00	1	0.70
189168	M1.2	0.86	0.250	40.0	0.5	3.4	3.00	1	0.90
189169	M1.4	1.03	0.300	40.0	0.6	4	4.00	1	1.05
189170	M1.6	1.16	0.350	40.0	0.7	4.6	4.00	1	1.19
189171	M1.8	1.36	0.350	40.0	0.7	5.1	4.00	1	1.39
189172	M2	1.50	0.400	40.0	0.8	5.6	4.00	1	1.54
189173	M2.5	1.94	0.450	40.0	0.9	7	4.00	1	1.98
193422	M3	2.38	0.500	51.0	1.0	8.3	5.00	2	2.45
193423	M3.5	2.75	0.600	51.0	1.2	9.7	6.00	2	2.85
193424	M4	3.13	0.700	51.0	1.4	11.1	6.00	2	3.25
193425	M5	4.00	0.800	51.0	1.6	13.7	8.00	2	4.10
193426	M6	4.75	1.000	51.0	2.0	16.5	8.00	2	4.90



[watch online](#)