

N320V-4



MATERIAL GROUPS



CHARACTERISTICS







THREADING SOLUTIONS

[watch online](#)

TECHNICAL DRAWING



PROFILE SKETCH



TOOL DATA

ID	D ₁	Ø D ₁	TOL	P	L ₁	L ₂	L ₃	D ₂	A		
101550	M6	6.00	6H	1.000	80.0	17.0	30	6.00	4.9	3	5.00

PRODUCT RANGE N320V-4 M6 6H

ID	D ₁	Ø D ₁	TOL	P	L ₁	L ₂	L ₃	D ₂	A		
101545	M2.5	2.50	6H	0.450	50.0	10.0	0	2.80	2.1	3	2.05
150522	M2.5	2.50	6G	0.450	50.0	10.0	0	2.80	2.1	3	2.05
162772	M3	3.00	6H LH	0.500	56.0	12.0	18	3.50	2.7	3	2.50
101546	M3	3.00	6H	0.500	56.0	12.0	18	3.50	2.7	3	2.50
143116	M3	3.00	6G	0.500	56.0	12.0	18	3.50	2.7	3	2.50
101547	M3.5	3.50	6H	0.600	56.0	13.0	20	4.00	3.0	3	2.90
101548	M4	4.00	6H	0.700	63.0	14.0	21	4.50	3.4	3	3.30
162773	M4	4.00	6H LH	0.700	63.0	14.0	21	4.50	3.4	3	3.30
143087	M4	4.00	6G	0.700	63.0	14.0	21	4.50	3.4	3	3.35
101549	M5	5.00	6H	0.800	70.0	15.0	25	6.00	4.9	3	4.20
162774	M5	5.00	6H LH	0.800	70.0	15.0	25	6.00	4.9	3	4.20
143088	M5	5.00	6G	0.800	70.0	15.0	25	6.00	4.9	3	4.25
143089	M6	6.00	6G	1.000	80.0	17.0	30	6.00	4.9	3	5.00
101550	M6	6.00	6H	1.000	80.0	17.0	30	6.00	4.9	3	5.00

ID	D ₁	Ø D ₁	TOL	P	L ₁	L ₂	L ₃	D ₂	A		
162775	M6	6.00	6H LH	1.000	80.0	17.0	30	6.00	4.9	3	5.00
101551	M8	8.00	6H	1.250	90.0	20.0	35	8.00	6.2	3	6.80
143604	M8	8.00	6G	1.250	90.0	20.0	35	8.00	6.2	3	6.80
101544	M10	10.00	6H	1.500	100.0	22.0	39	10.00	8.0	3	8.50